
Citalopram

This is an easy way to read this word...sit-al-o-pram



What is this leaflet for?

This leaflet is to help you understand more about your medicine.

Your medicine could look different to the photographs on this leaflet.



What is the medicine called?

Citalopram is also called Cipramil.

You will see 1 of these names on your prescription.

Citalopram could come as tablets, capsules or as a liquid.




What is citalogram for?

Citalogram could be used for different reasons.

Citalopram is used for depression and panic disorders.

Citalopram is sometimes used for people who have behaviour problems.

For example, it could...



- help calm you down
- help you feel less angry
- help you feel less tense.



What will citalogram do?

Citalopram should help you feel calm and relaxed.

It could take some time for citalopram to have its full effect.

This effect should reduce your behaviour problem.



For example, it may...

- help you control your temper
- help you stop hurting yourself
- help you stop breaking things.



What are the side effects of citalogram?

Side effects are effects medicine can have on your body that are not wanted.

Not everyone taking a medicine will get side effects.

Many side effects will go away with time.

Many side effects are rare.



You might want to talk to your doctor if you have any side effects.

For example, these are some side effects of citalogram...

- feeling more anxious or on edge
- feeling restless or cannot sit still
- feeling sleepy or sluggish
- feeling sick or being sick
- · having problems sleeping at night
- having the 'runs' or needing the toilet a lot
- dry mouth
- headache
- not feeling hungry
- loss of interest in sex.







Some side effects are more serious.

You should tell someone straight away if...

- you feel faint or dizzy
- you feel stiff or shaky
- you have problems with weeing
- you have a rash on your skin or your skin feels itchy.



How and when do I take citalogram?

The label on your citalopram packet should tell you when to take your medicine.

The label should tell you how much medicine you should take.

You should follow these instructions carefully.



You should swallow your tablet or capsule with water...


Or...



Measure your liquid and mix it with water, orange juice or apple juice.

If you forget to take your medicine, tell someone straight away.

You should ask your pharmacist if you can crush your medicine.



You should carry on taking your medicine even if you feel better unless you doctor asks you to stop.

You should talk to your doctor before you stop taking your medicine.




What do I need to know about citalogram?

Drinking alcohol whilst taking citalopram could make you feel drowsy.

Some medicines do not work well together.

You should tell your doctor about any other medicines you are taking.



Where can I get more information?

This leaflet does not tell you everything about citalogram.

If you want more information about citalopram...

- you can ask your pharmacist, doctor or nurse for more information
- you can ask your carer to get more information
- you can phone NHS Direct on 0845 4647
- you can phone a medicine information helpline on 020 3228 2999.

G. Unwin and S. Deb from the University of Birmingham created this leaflet with help from People First (Staffs) and Mencap. The project was funded by the Big Lottery Fund.

It can be downloaded from www.ld-medication.bham.ac.uk.

The information in this leaflet came from...

- the British National Formulary (www.bnf.org)
- the United Kingdom Psychiatric Pharmacy Group Patient Advisory Leaflets (www.ukppg.org.uk/ukppg-pals.html)
- Miriam Wilcher's Handbook for Carers of People with Learning Disabilities.