Topiramate

This is an easy way to read this word... top-ear-a-mate



What is this leaflet for?

This leaflet is to help you understand more about your medicine.

Your medicine could look different to the photographs on this leaflet.



What is topiramate called?

Topiramate is also called Topamax.

You will see 1 of these names on your prescription.

Topiramate could come as tablets or capsules.



What is topiramate for?

Topiramate could be used for different reasons.

Topiramate is used for epilepsy.

Topiramate is sometimes used for people who have behaviour problems.

For example, it could...



- help if you are anxious
- help calm you down
- help you feel less angry
- help you feel less tense.



What will topiramate do?

Topiramate should help you feel calm and relaxed.

It could take some time for topiramate to have its full effect.

This effect should reduce your behaviour problem.



For example, it may...

- help you control your temper
- help you stop hurting yourself
- help you stop breaking things.



What are the side effects of topiramate?

Side effects are effects medicine can have on your body that are not wanted.

Not everyone taking a medicine will get side effects.

Many side effects will go away with time.

Many side effects are rare.



You might want to talk to your doctor if you have any side effects.



For example, these are some side effects of topiramate...

- feeling sleepy or sluggish
- feeling sick or being sick
- feeling restless and cannot sit still
- headache
- a dry mouth
- putting on weight or losing weight.





Some side effects are more serious.

You should tell someone straight away if...

- you feel stiff
- you feel shaky
- you feel faint or dizzy
- you have problems weeing
- you have a rash on your skin
- you have blurred vision or things look fuzzy.

How and when do I take topiramate?



The label on your topiramate packet should tell you when to take your medicine.

The label should tell you how much medicine you should take.

You should follow these instructions carefully.



You should swallow your tablet or capsule with water...

Or...

Open your capsule and sprinkle the contents on some soft food.

You should ask your pharmacist if you are not sure what type of topiramate you have.

If you forget to take your medicine, tell someone straight away.



You should carry on taking your medicine even if you feel better unless your doctor asks you to stop.

You should talk to your doctor before you stop taking your medicine.




What do I need to know about topiramate?

Drinking alcohol whilst taking topiramate could make you feel drowsy.

Some medicines do not work well together.

You should tell your doctor about any other medicines you are taking.



Where can I get more information?

This leaflet does not tell you everything about topiramate.

If you want more information about topiramate...

- you can ask your pharmacist, doctor or nurse for more information
- you can ask your carer to get more information
- you can phone NHS Direct on 0845 4647
- you can phone a medicine information helpline on 020 3228 2999.

G. Unwin and S. Deb from the University of Birmingham created this leaflet with help from People First (Staffs) and Mencap. The project was funded by the Big Lottery Fund.

It can be downloaded from www.ld-medication.bham.ac.uk.

The information in this leaflet came from...

- the British National Formulary (www.bnf.org)
- the United Kingdom Psychiatric Pharmacy Group Patient Advisory Leaflets (www.ukppg.org.uk/ukppg-pals.html)
- Miriam Wilcher's Handbook for Carers of People with Learning Disabilities.